

## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

1-53 (Cancelled)

54. (Currently Amended) A method of producing collagen monomers comprising:

(a) ~~providing microorganisms;~~

(b) ~~providing~~ contacting collagen-containing tissues with microorganisms wherein the collagen-containing tissues are obtained from animal selected from one or more of mammals, aquatic animals, and avian animals, and wherein the microorganisms are bacteria or fungi;

(b) ~~(e)~~ allowing the microorganisms to ferment the collagen-containing tissues;

(c) ~~(d)~~ solubilizing the fermented tissues by the addition of an acidic solution and an enzyme preparation;

(d) ~~(e)~~ precipitating the collagen monomers; and

(e) ~~(f)~~ obtaining the precipitated collagen monomers, wherein the precipitated collagen product comprises collagen monomers weighing at least 10% of the weight of the total collagen in said collagen product.

55. (Previously Presented) The method of claim 54, wherein the enzyme preparation comprises pepsin.

56. (Previously Presented) The method claim 54, wherein the precipitation is carried out by the addition of salt.

57. (Previously Presented) The method of claim 54, wherein the microorganisms are grown for more than 24, 48 or 72 hours before fermenting the collagen-containing tissues.

58. (Previously Presented) The method of claim 54, wherein fermentation is performed with agitation and aeration.

59. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 50% of the weight of the total collagen in said collagen product.

60. (Cancelled)

61. (Previously Presented) The method of claim 54, wherein the microorganisms comprise generally regarded as safe (GRAS) microorganisms.

62. (Currently Amended) The method of claim 54, wherein the microorganisms ~~comprise~~ are bacteria ~~or yeast~~.

63. (Previously Presented) The method of claim 62, wherein the bacteria are Gram positive.

64. (Previously Presented) The method of claim 63, wherein the bacteria are of the genus *Bacillus*.

65. (Currently Amended) The method of claim 54, wherein the mammals are porcine or bovine.

66. (Previously Presented) The method of claim 54, wherein the aquatic animals are fish or shark.

67. (Previously Presented) The method of claim 54, wherein the avian animals are chickens.

68. (Currently Amended) A method of producing collagen monomers comprising:

(a) ~~providing~~ contacting Gram (+) bacteria belonging to the genus *Bacillus* in a fermenter with Fermenter;

(b) ~~providing~~ collagen-containing tissues, wherein the collagen-containing tissues are obtained from one or more of mammalian, aquatic, or avian animal sources;

(b) ~~(e)~~ allowing the bacteria to ferment the collagen-containing tissues at about 10% w/v to about 40% w/v in the fermenter;

(c) ~~(d)~~ solubilizing the fermented tissues at about 1% w/v to about 50% w/v in an acidic solution of about 0.5M acetic acid (pH 3.0) with pepsin provided at about 0.2% w/v to about 5% w/v at low temperatures;

(d) ~~(e)~~ adding salt to the acidic solution sufficient to precipitate collagen and keeping it undisturbed overnight; and

(e) ~~(f)~~ obtaining the precipitated collagen monomers, wherein the precipitated collagen product comprises collagen monomers weighing at least 10% of the weight of the total collagen in said collagen product.

69. (Previously Presented) The method of 68, wherein the collagen-containing tissues are fermented in the fermenter for about 18 hours to about 48 hours.

70. (Previously Presented) The method of claim 69, wherein the collagen-containing tissues are fermented at about 10% w/v in the fermenter for about 24 hours.

71. (Previously Presented) The method of claim 69, wherein the acidic solution is about 3% w/v of about 0.5M acetic acid (pH 3.0) with pepsin provided at about 0.4% w/v to about 2% w/v and further comprising stirring for not more than about 48 hours when solubilizing the fermented tissues in the acidic solution.

72. (Currently Amended) The method of claim 71, wherein the mammalian source is porcine or bovine.

73. (Previously Presented) The method of claim 70, wherein the acidic solution is about 3% w/v of about 0.5M acetic acid (pH 3.0) with pepsin provided at about 1% w/v and further comprising stirring for about 48 hours when solubilizing the fermented tissues in the acidic solution.

74. (Previously Presented) The method of claim 73, wherein the avian source is chicken.

75. (Cancelled)

76. (Previously Presented) The method of claim 68, wherein the low temperatures is at about 4°C.

77. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 50% of the weight of the total collagen in said collagen product.

78. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 80% of the weight of the total collagen in said collagen product.

78. (Previously Presented) The method of claim 54, wherein the collagen product comprises collagen monomers weighing at least 80% of the weight of the total collagen in said collagen product.

79. (New) The method of claim 54, wherein the microorganisms are fungi.

80. (New) The method of claim 79, wherein the microorganisms are yeast.

81. (New) The method of claim 62, wherein the bacteria are Gram negative.